

## Author Index to Volume 194

- Abouelaziz, H., J.L. Queffelec, C. Rebrion, B.R. Rowe, J.C. Gomet and A. Canosa, Dissociative recombination of  $\text{HCS}^+$  and  $\text{H}_3\text{S}^+$  ions studied in a flowing afterglow apparatus 194 (1992) 263
- Agostini, G., see D. Carbonera 194 (1992) 275
- Ahlich, R., see H. Weiss 194 (1992) 492
- Alden, R.G., W.D. Cheng and S.H. Lin, Vibrational relaxation and coherence and primary electron transfer in photosynthetic reaction centers 194 (1992) 318
- Angerhofer, A., see D. Carbonera 194 (1992) 275
- Arutiunov, A.B., K.Yu. Haritonov, L.B.-Å. Johansson and Å.G. Vitukhnovsky, Computer modelling of energy migration in disordered systems 194 (1992) 105
- Augustynski, J., see R. Kostecki 194 (1992) 386
- Aust, V., see D. Carbonera 194 (1992) 275
- Babu, C.S. and B.L. Tembe, Dynamics in superionic lithium sulphate lattice: paddle wheel versus percolation mechanism 194 (1992) 351
- Bačić, Z., see D.H. Zhang 194 (1992) 313
- Bader, R.F.W., see T.A. Keith 194 (1992) 1
- Bain, C.D., P.B. Davies and T.H. Ong, Pulsed photothermal beam deflection for infrared spectroscopy of molecules at surfaces 194 (1992) 391
- Barker, D.A., see W.B. De Almeida 194 (1992) 477
- Bendale, R.D., J.F. Stanton and M.C. Zerner, Investigation of the electronic structure and spectroscopy of Jahn-Teller distorted  $\text{C}_{60}^+$  194 (1992) 467
- Bent, B.E., see J.-L. Lin 194 (1992) 208
- Blöcker, J., see H. Werner 194 (1992) 62
- Borguet, E. and H.-L. Dai, Strong dynamical dipole coupling between CO molecules adsorbed at two distinct sites on Cu(100) 194 (1992) 57
- Bradshaw, A.M., see H. Werner 194 (1992) 62
- Brenton, A.G., see A.R. Lee 194 (1992) 118
- Brucker, G.A., S.I. Ionov, Y. Chen and C. Wittig, Time-resolved studies of  $\text{NO}_2$  photoinitiated unimolecular decomposition: step-like variation of  $k_{\text{uni}}(E)$  194 (1992) 301
- Burshtein, A.I., Geminate recombination after binary photoionization 194 (1992) 247
- Büyükkılıç, F., D. Demirhan and S.F. Özeren, Investigation of the pseudo-harmonic oscillator by  $\text{su}(1, 1)$  spectrum generating algebra 194 (1992) 9
- Cai, Z.-L., Y.-F. Wang and H.-M. Xiao, The MRSDCI studies of four low-lying electronic states of the  $\text{NCO}^+$  molecule, Chem. Phys. Letters 190 (1992) 381. Erratum 194 (1992) 262
- Campbell, M.L., R.E. McClean, N.L. Garland and H.H. Nelson, Electronic quenching of the  $\text{B}^2\Sigma^+$  state of AlO 194 (1992) 187
- Canosa, A., see H. Abouelaziz 194 (1992) 263
- Carbonera, D., G. Giacometti, G. Agostini, A. Angerhofer and V. Aust, ODMR of carotenoid and chlorophyll triplets in CP43 and CP47 complexes of spinach 194 (1992) 275

Carleer, M., see J.K. Holland	194 (1992) 175
Cazzoli, G., C. Degli Esposti and F. Scappini, Millimeter-wave spectrum of DNCCN <sup>+</sup>	194 (1992) 297
Chen, Y., see G.A. Brucker	194 (1992) 301
Cheng, W.D., see R.G. Alden	194 (1992) 318
Chibante, L.P.F., see L. Wang	194 (1992) 217
Cioslowski, J., An efficient evaluation of atomic properties using a vectorized numerical integration with dynamic thresholding	194 (1992) 73
Corrales, L.R. and P.J. Rossky, A novel semi-empirical potential for covalently bonded materials	194 (1992) 363
Csajka, F., see K. Laasonen	194 (1992) 172
Curl, R.F., see L. Wang	194 (1992) 217
Dai, H.-L., see E. Borguet	194 (1992) 57
Danielsen, E., see J.R. Lakowicz	194 (1992) 282
Davies, P.B., see C.D. Bain	194 (1992) 391
De Almeida, W.B., D.A. Barker and A. Hinchliffe, Determination of the structural parameters for the van der Waals complexes between N <sub>2</sub> and ClF molecules	194 (1992) 477
Degli Esposti, C., see G. Cazzoli	194 (1992) 297
Demirhan, D., see F. Büyükkılıç	194 (1992) 9
De Vries, J., see H. Steger	194 (1992) 452
Dimitrijević, N.M., Reaction of trichloromethyl and trichloromethylperoxyl radicals with C <sub>60</sub> . A pulse radiolysis study	194 (1992) 457
Drewello, T., see H. Steger	194 (1992) 452
Duppen, K., see E. Lenderink	194 (1992) 403
Durga Prasad, M., Self-consistent-field dynamics of a model non-adiabatic system	194 (1992) 27
Eckhardt, C.J. and D.R. Swanson, Crystal engineering in two dimensions: a calculative investigation	194 (1992) 370
Elangovan, T. and V. Krishnan, Photophysical properties of porphyrin amphiphiles bearing pyridinium alkyl groups	194 (1992) 139
Enos, C.S., see A.R. Lee	194 (1992) 118
Etemad, S., see Z.G. Soos	194 (1992) 341
Eura, S., see H. Fukumura	194 (1992) 203
Fagan, P.J., see Z.G. Li	194 (1992) 461
Fayer, M.D., see J.J. Stankus	194 (1992) 213
Fischer, S. and M. Karplus, Conjugate peak refinement: an algorithm for finding reaction paths and accurate transition states in systems with many degrees of freedom	194 (1992) 252
Forst, W., Microcanonical variational theory of radical recombination by inversion of interpolated partition function. Isotope effect in CH <sub>3</sub> + H/D	194 (1992) 21
Frank, A., see R. Lemus	194 (1992) 327
Frenking, G., see V. Jonas	194 (1992) 109
Frisoli, J., see J.R. Lakowicz	194 (1992) 282
Fujimura, Y., see T. Kato	194 (1992) 380
Fujiwara, S., see M. Kawase	194 (1992) 268
Fukumura, H., K. Hamano, S. Eura, H. Masuhara, H. Ito, T. Sakakibara and M. Matsuda, Laser ablation dynamics of silicon- and/or sulfur-containing polymers revealed by time-resolved luminescence spectroscopy	194 (1992) 203

Furó, I., Accurate homogeneous linewidths for quadrupolar nuclei with 2D echo NMR experiments using soft pulses	194 (1992) 435
Galvão, D.S., see Z.G. Soos	194 (1992) 341
Garland, N.L., see M.L. Campbell	194 (1992) 187
Gauss, J., see V. Jonas	194 (1992) 109
Giacometti, G., see D. Carbonera	194 (1992) 275
Gomet, J.C., see H. Abouelaziz	194 (1992) 263
Greenfield, S.R., see J.J. Stankus	194 (1992) 213
Gryczynski, I., see J.R. Lakowicz	194 (1992) 282
Gullion, T. and S. Vega, A simple magic angle spinning NMR experiment for the dephasing of rotational echoes of dipolar coupled homonuclear spin pairs	194 (1992) 423
Haase, F., see H. Weiss	194 (1992) 492
Hamano, K., see H. Fukumura	194 (1992) 203
Haritonov, K.Yu., see A.B. Arutiunov	194 (1992) 105
Harter, W.G. and T.C. Reimer, Nuclear spin weights and gas phase spectral structure of $^{12}\text{C}_{60}$ and $^{13}\text{C}_{60}$ buckminsterfullerene	194 (1992) 230
Hayashi, M., see T. Kato	194 (1992) 380
Henschke, B., see H. Werner	194 (1992) 62
Herein, D., see H. Werner	194 (1992) 62
Herman, M., see J.K. Holland	194 (1992) 175
Herman, M., see F. Mélen	194 (1992) 181
Herrero, C.P. and R. Ramirez, Configurational density of states in zeolite frameworks: a Monte Carlo approach	194 (1992) 79
Hikichi, K., see K. Takegoshi	194 (1992) 359
Hill, W., see L. Werner	194 (1992) 39
Hinchliffe, A., see W.B. De Almeida	194 (1992) 477
Holland, J.K., M. Carleer, R. Petrisse and M. Herman, Supersonic molecular jet Fourier transform interferometry applied to nitric oxides	194 (1992) 175
Hughes, S.R. and U. Kaldor, High sectors in the Fock space coupled-cluster method	194 (1992) 99
Hurley, M.D., see T.J. Wallington	194 (1992) 309
Ilyabaev, E. and U. Kaldor, Relativistic coupled-cluster calculations for closed-shell atoms	194 (1992) 95
Ionov, S.I., see G.A. Brucker	194 (1992) 301
Ishikawa, Y., G.L. Malli and N.C. Pyper, Ab initio Dirac-Fock self-consistent field calculations for open-shell heavy-atom systems: bonding in $\text{AuH}^+$ ion	194 (1992) 481
Ito, H., see H. Fukumura	194 (1992) 203
Itoh, H., see M. Kawase	194 (1992) 268
Jackowski, K., Effects of molecular association on the NMR shielding constants in acetonitrile	194 (1992) 167
Johansson, L.B.-Å., see A.B. Arutiunov	194 (1992) 105
Jonas, V., G. Frenking and J. Gauss, The geometry of $\text{TiH}_6^-$ and $\text{VH}_6^-$	194 (1992) 109
Jurga, K., see E.C. Reynhardt	194 (1992) 410
Jurga, S., see E.C. Reynhardt	194 (1992) 410



Kaldor, U., see E. Ilyabaev	194 (1992) 95
Kaldor, U., see S.R. Hughes	194 (1992) 99
Kamalov, V.F. and Y.P. Svirko, Femtosecond time-resolved resonance CARS theory	194 (1992) 13
Kamke, B., see H. Steger	194 (1992) 452
Kamke, W., see H. Steger	194 (1992) 452
Karplus, M., see S. Fischer	194 (1992) 252
Kato, T., M. Hayashi and Y. Fujimura, Effects of intermolecular vibronic dephasings on time-resolved sum-frequency generation from molecules at an interface	194 (1992) 380
Kawase, M., S. Fujiwara, S. Nakanishi and H. Itoh, Host-dependent optical dephasing of dye molecules doped in cross-linked polyvinyl alcohols	194 (1992) 268
Keil, M., see H. Werner	194 (1992) 62
Keith, T.A. and R.F.W. Bader, Calculation of magnetic response properties using atoms in molecules	194 (1992) 1
Klinowski, J., see W. Kołodziejcki	194 (1992) 429
Koizumi, H., A two-component wavefunction for nuclear dynamics on a Jahn-Teller split potential surface	194 (1992) 472
Kołodziejcki, W., E. Lalik, A. Lerf and J. Klinowski, $^{27}\text{Al}$ solid-state NMR studies of molybdenum bronze intercalated with aluminium polyoxycations	194 (1992) 429
Kompa, K.L., see I. Schechter	194 (1992) 128
Kostecki, R. and J. Augustynski, Unusually strong cathodic photoeffect at silver in contact with aqueous solutions containing carbon dioxide	194 (1992) 386
Krishnan, V., see T. Elangovan	194 (1992) 139
Kwiatkowski, J.S., see J. Leszczyński	194 (1992) 157
Laasonen, K., F. Csajka and M. Parrinello, Water dimer properties in the gradient-corrected density functional theory	194 (1992) 172
Lakowicz, J.R., I. Gryczynski, E. Danielsen and J. Frisoli, Anisotropy spectra of indole and N-acetyl-L-tryptophanamide observed for two-photon excitation of fluorescence	194 (1992) 282
Lalik, E., see W. Kołodziejcki	194 (1992) 429
Lazarou, Y., see C.M. Michael	194 (1992) 415
Lee, A.R., C.S. Enos and A.G. Brenton, Spin-orbit and other electronic transitions in collisions of $\text{Ar}^+$ and $\text{B}^+$ ions with $\text{O}_2$ molecules	194 (1992) 118
Lee, T.J., see A.P. Rendell	194 (1992) 84
Lemus, R., A. Leviatan and A. Frank, Potential energy curves in the electron-vibron model	194 (1992) 327
Lenderink, E., K. Duppen and D.A. Wiersma, Femtosecond fragmentation of tetraphenylhydrazine in solution	194 (1992) 403
Lerf, A., see W. Kołodziejcki	194 (1992) 429
Leszczyńska, D., see J. Leszczyński	194 (1992) 157
Leszczyński, J., J.S. Kwiatkowski and D. Leszczyńska, Molecular structures and vibrational spectra of selenoformaldehyde and its thio- and oxo-analogs by ab initio post-Hartree-Fock study	194 (1992) 157
Leviatan, A., see R. Lemus	194 (1992) 327
Li, L., see Z. Liu	194 (1992) 440
Li, S., see Z. Liu	194 (1992) 440
Li, Z.G. and P.J. Fagan, Coexistence of fcc and hcp phases of $\text{C}_{60}$ . Microstructural characterization of $\text{C}_{60}$ and metal complexes of $\text{C}_{60}$	194 (1992) 461
Lin, J.-L. and B.E. Bent, C-H vibrational mode-softening in alkyl groups bound to $\text{Cu}(111)$	194 (1992) 208

Lin, S.H., see R.G. Alden	194 (1992) 318
Lindh, R., see A.P. Rendell	194 (1992) 84
Liu, Z., M. Zhao, C. Wu, L. Li, S. Li, X. Zeng and W. Xiong, NMR study of low-pressure $^{129}\text{Xe}$ gas	194 (1992) 440
Lü, T.-X., Vibronic interaction and intrinsic conductivity of footballene. A simplified Hückel model study	194 (1992) 67
Ludwiczak, M., H.K. Sinha and R.P. Steer, Van der Waals complexes of xanthione and benzopyranthione with rare gases. $S_2$ - $S_0$ fluorescence excitation spectroscopy and microscopic solvation effects	194 (1992) 196
MacDermott, A.J., G.E. Tranter and S.J. Trainor, The search for large parity-violating energy differences finds fruit in thiosubstituted DNA analogues	194 (1992) 152
MacLagan, R.G.A.R. and P. Sudkeaw, Ionization potential and proton affinity of $\text{C}_2\text{S}$ and $\text{C}_3\text{S}$	194 (1992) 147
Maity, D.K., see H. Mohan	194 (1992) 135
Malli, G.L., see Y. Ishikawa	194 (1992) 481
Markert, F. and O.J. Nielsen, The reactions of OH radicals with chloroalkanes in the temperature range 295–360 K	194 (1992) 123
Marlow, F., see L. Werner	194 (1992) 39
Marshall, C.D., see J.J. Stankus	194 (1992) 213
Maslianitsin, I.A., V.D. Shigorin and G.P. Shipulo, The calculation of hyperpolarizabilities of organic molecules	194 (1992) 355
Masuhara, H., see H. Fukumura	194 (1992) 203
Matsuda, M., see H. Fukumura	194 (1992) 203
Matsumoto, Y., see K. Sawabe	194 (1992) 45
McClean, R.E., see M.L. Campbell	194 (1992) 187
Mélen, F., F. Pokorni and M. Herman, Vibrational band analysis of $\text{N}_2\text{O}_4$	194 (1992) 181
Merkle, R., A. Savin and H. Preuss, Correlation contributions to first ionization potentials of first-row atoms, hydrides and dimers obtained with gradient corrected GGA91 density functionals	194 (1992) 32
Michael, C.M., Y. Lazarou and P. Papagiannakopoulos, Infrared multiphoton dissociation of tetramethylsilane: formation of electronically excited trimethylsilyl radical	194 (1992) 415
Mittal, J.P., see H. Mohan	194 (1992) 135
Mizuno, S., see H. Tochiwara	194 (1992) 51
Mizutani, G., see H. Sano	194 (1992) 398
Mohan, H., D.K. Maity and J.P. Mittal, Inter- and intra-molecular radical cations of alkyl bromides in aqueous solution	194 (1992) 135
Murata, S. and M. Tachiya, Refined Perrin equation for the analysis of fluorescence quenching by electron transfer	194 (1992) 347
Nakanishi, S., see M. Kawase	194 (1992) 268
Nelson, H.H., see M.L. Campbell	194 (1992) 187
Nielsen, O.J., see F. Markert	194 (1992) 123
Ogawa, Y., see H. Shimamori	194 (1992) 223
Ong, T.H., see C.D. Bain	194 (1992) 391
Özeren, S.F., see F. Büyükkılıç	194 (1992) 9

Pan, Y.-K., see F.-M. Tao	194 (1992) 162
Panas, I., A self-consistent crystal field approach to the structures of molecular crystals applied to solid HCN	194 (1992) 239
Papagiannakopoulos, P., see C.M. Michael	194 (1992) 415
Park, J.K. and H. Sun, Ab initio effective Hamiltonian calculations on the valence states of SH and SH <sup>+</sup>	194 (1992) 485
Parrinello, M., see K. Laasonen	194 (1992) 172
Petrise, R., see J.K. Holland	194 (1992) 175
Pokorni, F., see F. Mélen	194 (1992) 181
Preuss, H., see R. Merkle	194 (1992) 32
Pyper, N.C., see Y. Ishikawa	194 (1992) 481
Queffelec, J.L., see H. Abouelaziz	194 (1992) 263
Ramasesha, S., see Z.G. Soos	194 (1992) 341
Ramirez, R., see C.P. Herrero	194 (1992) 79
Rebrion, C., see H. Abouelaziz	194 (1992) 263
Reimer, T.C., see W.G. Harter	194 (1992) 230
Rendell, A.P., T.J. Lee and R. Lindh, Quantum chemistry on parallel computer architectures: coupled-cluster theory applied to the bending potential of fulminic acid	194 (1992) 84
Retter, U., see L. Werner	194 (1992) 39
Reynhardt, E.C., S. Jurga and K. Jurga, The coexistence of phases in solid tetramethylammonium hexafluorophosphate	194 (1992) 410
Rosky, P.J., see L.R. Corrales	194 (1992) 363
Rowe, B.R., see H. Abouelaziz	194 (1992) 263
Sakakibara, T., see H. Fukumura	194 (1992) 203
Sano, H., G. Mizutani and S. Ushioda, Absolute Raman scattering cross sections of trimethylgallium and trimethylaluminum in the vapor phase	194 (1992) 398
Savin, A., see R. Merkle	194 (1992) 32
Sawabe, K. and Y. Matsumoto, Structure of adsorbed N <sub>2</sub> O on a Pt(111) surface and photodissociation at 193 nm: effective formation of oxygen adatoms	194 (1992) 45
Scappini, F., see G. Cazzoli	194 (1992) 297
Schechter, I., H. Schröder and K.L. Kompa, A simplified method for absolute MPI cross-section measurements. Application to three-photon non-resonant ionization of Xe at 266 nm	194 (1992) 128
Schedel-Niedrig, Th., see H. Werner	194 (1992) 62
Schlögl, R., see H. Werner	194 (1992) 62
Schröder, H., see I. Schechter	194 (1992) 128
Sebastian, K.L., Statistical thermodynamics of the peeling of a polymer from a line	194 (1992) 375
Sengupta, A., see J.J. Stankus	194 (1992) 213
Shigorin, V.D., see I.A. Maslianitsin	194 (1992) 355
Shimamori, H., Y. Tatsumi, Y. Ogawa and T. Sunagawa, Electron-energy dependence of electron attachment to <i>c</i> -C <sub>7</sub> F <sub>14</sub> , CH <sub>3</sub> I and CH <sub>2</sub> Br <sub>2</sub> studied by the pulse-radiolysis microwave-cavity technique combined with microwave heating	194 (1992) 223
Shipulo, G.P., see I.A. Maslianitsin	194 (1992) 355
Sinha, H.K., see M. Ludwiczak	194 (1992) 196



Smalley, R.E., see L. Wang	194 (1992) 217
Soos, Z.G., S. Etemad, D.S. Galvão and S. Ramasesha, Fluorescence and topological gap of conjugated phenylene polymers	194 (1992) 341
Stankus, J.J., R. Torre, C.D. Marshall, S.R. Greenfield, A. Sengupta, A. Tokmakoff and M.D. Fayer, Nanosecond time scale dynamics of pseudo-nematic domains in the isotropic phase of liquid crystals	194 (1992) 213
Stanton, J.F., see R.D. Bendale	194 (1992) 467
Steer, R.P., see M. Ludwiczak	194 (1992) 196
Steger, H., J. de Vries, B. Kamke, W. Kamke and T. Drewello, Direct double ionization of C <sub>60</sub> and C <sub>70</sub> fullerenes using synchrotron radiation	194 (1992) 452
Sudkeaw, P., see R.G.A.R. MacLagan	194 (1992) 147
Sun, H., see J.K. Park	194 (1992) 485
Sunagawa, T., see H. Shimamori	194 (1992) 223
Svirko, Y.P., see V.F. Kamalov	194 (1992) 13
Swanson, D.R., see C.J. Eckhardt	194 (1992) 370
Tachiya, M., see S. Murata	194 (1992) 347
Takegoshi, K. and K. Hikichi, Effects of sample spinning on "overtone" NMR	194 (1992) 359
Tao, F.-M. and Y.-K. Pan, An accurate ab initio calculation of the Ne <sub>2</sub> potential	194 (1992) 162
Tatsumi, Y., see H. Shimamori	194 (1992) 223
Tegtmeyer, U., see H. Werner	194 (1992) 62
Tembe, B.L., see C.S. Babu	194 (1992) 351
Tittel, F.K., see L. Wang	194 (1992) 217
Tochihara, H. and S. Mizuno, A coverage-dependent reaction of Li adatoms on Cu(001) with H <sub>2</sub> O	194 (1992) 51
Tokmakoff, A., see J.J. Stankus	194 (1992) 213
Torre, R., see J.J. Stankus	194 (1992) 213
Trainor, S.J., see A.J. MacDermott	194 (1992) 152
Tranter, G.E., see A.J. MacDermott	194 (1992) 152
Ushioda, S., see H. Sano	194 (1992) 398
Valentini, J.J., see B.K. Venkataraman	194 (1992) 191
Van der Waals, J.H., see J. van Tol	194 (1992) 288
Van Tol, J. and J.H. van der Waals, Optically detected magnetic resonance of the luminescent state in NaF:Cu <sup>+</sup>	194 (1992) 288
Varandas, A.J.C., A new formulation of three-body dynamical correlation energy for explicit potential functions	194 (1992) 333
Vega, S., see T. Gullion	194 (1992) 423
Venkataraman, B.K. and J.J. Valentini, Rovibrational state distributions for H <sub>2</sub> photoeliminated from 1,3-butadiene. Evidence for a symmetric transition state	194 (1992) 191
Verhoeven, J.W., see R.M. Williams	194 (1992) 446
Vitukhnovsky, A.G., see A.B. Arutiunov	194 (1992) 105
Wallington, T.J. and M.D. Hurley, Are anomalies in the kinetics of halogenation caused by hot atom effects? An experimental investigation	194 (1992) 309
Wang, L., L.P.F. Chibante, F.K. Tittel, R.F. Curl and R.E. Smalley, Isomers of gallium arsenide cluster ions	194 (1992) 217

Wang, Y.-F., see Z.-L. Cai	194 (1992) 262
Weiss, H., F. Haase and R. Ahlrichs, Agostic CH-M interactions and the structure of $\text{Ti}(\text{PH}_2\text{CH}_2)_2\text{Cl}_3\text{CH}_3$ : an ab initio investigation	194 (1992) 492
Werner, H., D. Herein, J. Blöcker, B. Henschke, U. Tegtmeyer, Th. Schedel-Niedrig, M. Keil, A.M. Bradshaw and R. Schlögl, Spectroscopic and chemical characterisation of "fullerene black"	194 (1992) 62
Werner, L., F. Marlow, W. Hill and U. Retter, Optical second harmonic generation at Hg electrodes. The adsorption of aniline	194 (1992) 39
Wiersma, D.A., see E. Lenderink	194 (1992) 403
Williams, R.M. and J.W. Verhoeven, Fluorescence of fullerene- $\text{C}_{70}$ and its quenching by long-range intermolecular electron transfer	194 (1992) 446
Wittig, C., see G.A. Brucker	194 (1992) 301
Wu, C., see Z. Liu	194 (1992) 440
Xiao, H.-M., see Z.-L. Cai	194 (1992) 262
Xiong, W., see Z. Liu	194 (1992) 440
Zeng, X., see Z. Liu	194 (1992) 440
Zerner, M.C., see R.D. Bendale	194 (1992) 467
Zhang, D.H., J.Z.H. Zhang and Z. Bačić, Mode-specific decay widths in vibrational pre-dissociation of $\text{D}_2\text{HF}$	194 (1992) 313
Zhang, J.Z.H., see D.H. Zhang	194 (1992) 313
Zhao, M., see Z. Liu	194 (1992) 440